


TOPICCO 3102

CONSTRUCTION ROLLER

Device Specifications	
Safety zone	29,04 m ²
Length	4,39 m
Width	2,12 m
Total height	2,01 m
Free fall height	0,9 m
Age range	3-12 yrs
In accordance w/ EN standards	1176-1:2008
Availability of spare parts	Yes
Weight of the heaviest part [kg]	98
Dimension of the biggest part [m]	1,9x2,5x0,07



Minimal space



MATERIAL SPECIFICATION

- Platform made of waterproof anti-skidding plates
- Other elements made out of atmospheric condition resistant HDPE polythene plates
- No sharp edges or chinks that would pose a danger for jamming of the head, fingers and other body parts
- All screws covered with colorful plastic caps
- Galvanized and/or powder coated steel construction

ADDITIONAL COMMENTS

- The device is certified by an accreditation organization
- Embedded 0/5/55 cm deep in flat ground
- The device is designed for public playgrounds

Due to the free fall height of the device, the EN 1176-1:2008 standard allows the following surfaces to cushion a fall. The level of granular materials requires filling in, conservation of synthetic materials is required in accordance with the manufacturer's instructions. Dimensions of the foundation are described in installation instruction.

Material	Description [mm]	Minimal layer thickness [mm]	Dimensions foundation
Turf/Soil			A,B,C
Tree bark	Grain size from 20 to 80	300	A, C
Chip	Grain size from 5 to 30	300	A, C
Sand	Grain size from 0,2 to 2	300	A, C
Gravel	Grain size from 2 to 8	300	A, C
Synthetic materials	Free fall approval ≥900		A,B,C

